

- [1] A. J. Butler, M. A. Rees, D. G. Wight, N. D. Casey, G. Alexander, D. J. White, and P. J. Friend, "Successful extracorporeal porcine liver perfusion for 72 hr1," *Transplantation*, vol. 73, no. 8, pp. 1212-1218, 2002.
- [2] C. J. Imber, S. D. S. Peter, I. L. de Cenarruzabeitia, D. Pigott, T. James, R. Taylor, J. McGuire, D. Hughes, A. Butler, and M. Rees, "Advantages of normothermic perfusion over cold storage in liver preservation," *Transplantation*, vol. 73, no. 5, pp. 701-709, 2002.
- [3] C. J. Imber, S. D. St. Peter, I. L. De Cenarruzabeitia, H. Lemonde, M. Rees, A. Butler, P. T. Clayton, and P. J. Friend, "Optimisation of bile production during normothermic preservation of porcine livers," *American Journal of Transplantation*, vol. 2, no. 7, pp. 593-599, 2002.
- [4] C. J. Imber, S. D. St. Peter, A. Handa, and P. J. Friend, "Hepatic steatosis and its relationship to transplantation," *Liver transplantation*, vol. 8, no. 5, pp. 415-423, 2002.
- [5] S. D. S. Peter, C. J. Imber, I. L. De Cenarruzabeitia, and P. J. Friend, "The non-heart-beating donor: Bridging the gap to the future," *Transplantation Reviews*, vol. 16, no. 1, pp. 51-61, 2002.
- [6] M. A. Rees, A. J. Butler, G. Chavez-Cartaya, D. G. Wight, N. D. Casey, G. Alexander, S. A. Khuder, D. J. White, and P. J. Friend, "Prolonged function of extracorporeal hDAF transgenic pig livers perfused with human blood1," *Transplantation*, vol. 73, no. 8, pp. 1194-1202, 2002.
- [7] M. A. Rees, A. J. Butler, H. F. Davies, E. Bolton, D. G. Wight, J. Skepper, D. J. White, and P. J. Friend, "Porcine livers perfused with human blood mount a graft-versus-'host' reaction1," *Transplantation*, vol. 73, no. 9, pp. 1460-1467, 2002.
- [8] S. D. St Peter, C. Imber, I. Lopez, D. Hughes, and P. Friend, "Extended preservation of non-heart-beating donor livers with normothermic machine perfusion," *British journal of surgery*, vol. 89, no. 5, pp. 609-616, 2002.
- [9] S. D. St Peter, C. J. Imber, and P. J. Friend, "Liver and kidney preservation by perfusion," *The Lancet*, vol. 359, no. 9306, pp. 604-613, 2002.
- [10] A. J. McLaren, and P. J. Friend, "Trends in organ preservation," *Transplant international*, vol. 16, no. 10, pp. 701-708, 2003.
- [11] S. Reddy, M. Zilvetti, J. Brockmann, A. McLaren, and P. Friend, "Liver transplantation from non-heart-beating donors: Current status and future prospects," *Liver Transplantation*, vol. 10, no. 10, pp. 1223-1232, 2004.
- [12] S. P. Reddy, S. Bhattacharjya, N. Maniakin, J. Greenwood, D. Guerreiro, D. Hughes, C. J. Imber, D. W. Pigott, S. Fuggle, and R. Taylor, "Preservation of porcine non-heart-beating donor livers by sequential cold storage and warm perfusion," *Transplantation*, vol. 77, no. 9, pp. 1328-1332, 2004.
- [13] M. A. Rees, A. J. Butler, M. C. Negus, H. F. Davies, and P. J. Friend, "Classical pathway complement destruction is not responsible for the loss of human erythrocytes during porcine liver perfusion," *Transplantation*, vol. 77, no. 9, pp. 1416-1423, 2004.
- [14] S. Reddy, and P. Friend, "Liver transplantation outcomes using donors after cardiac death," *Current Opinion in Organ Transplantation*, vol. 10, no. 2, pp. 95-100, 2005.
- [15] S. Reddy, J. Greenwood, N. Maniakin, S. Bhattacharjya, M. Zilvetti, J. Brockmann, T. James, D. Pigott, and P. Friend, "Non-heart-beating donor porcine livers: The adverse effect of cooling," *Liver transplantation*, vol. 11, no. 1, pp. 35-38, 2005.
- [16] P. J. Friend, and C. J. Imber, "Current status of liver transplantation," *Transplantation Immunology*, pp. 29-46: Springer, 2006.
- [17] R. W. Jamieson, and P. J. Friend, "Normothermic organ preservation," *Transplantation reviews*, vol. 20, no. 4, pp. 172-178, 2006.
- [18] D. Roy, N. Ashley, A. Muthuswamy, R. Jamieson, K. J. Morten, D. Guerriero, D. Hughes, and P. J. Friend, "Mitochondrial functional changes in non-heart-beating-donor livers: Adverse effect of cooling," *TRANSPLANT INTERNATIONAL*, vol. 20, 2007.
- [19] J. J. Plata-Munoz, A. Muthusamy, I. Quiroga, H. H. Contractor, S. Sinha, A. Vaidya, C. Darby, S. V. Fuggle, and P. J. Friend, "Impact of pulsatile perfusion on postoperative outcome of kidneys from controlled donors after cardiac death," *Transplant International*, vol. 21, no. 9, pp. 899-907, 2008.
- [20] J. Brockmann, S. Reddy, C. Coussios, D. Pigott, D. Guirriero, D. Hughes, A. Morovat, D. Roy, L. Winter, and P. J. Friend, "Normothermic perfusion: a new paradigm for organ preservation," *Annals of surgery*, vol. 250, no. 1, pp. 1-6, 2009.
- [21] S. P. Reddy, J. Brockmann, and P. J. Friend, "Normothermic perfusion—a mini-review," *Transplantation*, vol. 87, no. 5, pp. 631, 2009.
- [22] D. Roy, K. Morten, C. Coussius, R. Morovat, D. Guerriero, D. Hughes, J. Brockman, and P. J. Friend,

"MITOCHONDRIAL PROTECTION BY OXYGENATED PERFUSION AFTER WARM ISCHAEMIA," *Transplant International*, vol. 22, 2009.

- [23] T. Vogel, J. G. Brockmann, and P. J. Friend, "Ex-vivo normothermic liver perfusion: an update," *Current opinion in organ transplantation*, vol. 15, no. 2, pp. 167-172, 2010.
- [24] R. W. Jamieson, M. Zilvetti, D. Roy, D. Hughes, A. Morovat, C. C. Coussios, and P. J. Friend, "Hepatic steatosis and normothermic perfusion—preliminary experiments in a porcine model," *Transplantation*, vol. 92, no. 3, pp. 289-295, 2011.
- [25] T. Vogel, J.G. Brockmann, C.-C. Coussios, and P. J. Friend, " Normothermic Machine Perfusion of the Liver," *Methods in Bioengineering*, M. Yarmush and R. Langer, eds.: Elsevier Special Series on Biotechnology (2011). 2011.
- [26] T. Vogel, J. G. Brockmann, C. Coussios, and P. J. Friend, "The role of normothermic extracorporeal perfusion in minimizing ischemia reperfusion injury," *Transplantation reviews*, vol. 26, no. 2, pp. 156-162, 2012.
- [27] P. J. Friend, C. Coussios, and R. Ravikumar, "NORMOTHERMIC PERFUSION OF DISCARDED HUMAN PANCREASES," *Transplant International*, vol. 26, 2013.
- [28] J. P. Waldman, T. Vogel, C. Burlak, C. Coussios, J. Dominguez, P. Friend, and M. A. Rees, "Blocking porcine sialoadhesin improves extracorporeal porcine liver xenoperfusion with human blood," *Xenotransplantation*, vol. 20, no. 4, pp. 239-251, 2013.
- [29] R. J. Ploeg, and P. J. Friend, "New strategies in organ preservation: current and future role of machine perfusion in organ transplantation," *Transplant International*, vol. 28, no. 6, pp. 633-633, 2015.
- [30] R. Ravikumar, H. Leuvenink, and P. J. Friend, "Normothermic liver preservation: a new paradigm?," *Transplant International*, vol. 28, no. 6, pp. 690-699, 2015.
- [31] R. Angelico, M. T. P. Perera, R. Ravikumar, D. Holroyd, C. Coussios, H. Mergental, J. R. Isaac, A. Iqbal, H. Cilliers, and P. Muijsen, "Normothermic machine perfusion of deceased donor liver grafts is associated with improved postreperfusion hemodynamics," *Transplantation direct*, vol. 2, no. 9, 2016.
- [32] S. Karangwa, P. Dutkowski, P. Fontes, P. Friend, J. Guarnera, J. Markmann, H. Mergental, T. Minor, C. Quintini, and M. Selzner, "Machine perfusion of donor livers for transplantation: a proposal for standardized nomenclature and reporting guidelines," *American Journal of Transplantation*, vol. 16, no. 10, pp. 2932-2942, 2016.
- [33] R. Ravikumar, W. Jassem, H. Mergental, N. Heaton, D. Mirza, M. Perera, A. Quaglia, D. Holroyd, T. Vogel, and C. Coussios, "Liver transplantation after ex vivo normothermic machine preservation: a phase 1 (first-in-man) clinical trial," *American Journal of Transplantation*, vol. 16, no. 6, pp. 1779-1787, 2016.
- [34] M. Bral, B. Gala-Lopez, D. Bigam, N. Kneteman, A. Malcolm, S. Livingstone, A. Andres, J. Emamaulee, L. Russell, and C. Coussios, "Preliminary single-center Canadian experience of human normothermic ex vivo liver perfusion: results of a clinical trial," *American Journal of Transplantation*, vol. 17, no. 4, pp. 1071-1080, 2017.
- [35] J. G. Brockmann, T. Vogel, C. Coussios, and P. J. Friend, "Liver splitting during normothermic organ preservation," *Liver Transplantation*, vol. 23, no. 5, pp. 701-706, 2017.
- [36] C. D. Ceresa, D. Nasralla, S. Knight, and P. J. Friend, "Cold storage or normothermic perfusion for liver transplantation: probable application and indications," *Current opinion in organ transplantation*, vol. 22, no. 3, pp. 300-305, 2017.
- [37] P. J. Friend, "Advances in normothermic perfusion of the liver," *Liver Transpl*, pp. S50-S51, 2017.
- [38] T. Vogel, J. G. Brockmann, D. Pigott, D. A. Neil, A. S. R. Muthusamy, C. C. Coussios, and P. J. Friend, "Successful transplantation of porcine liver grafts following 48-hour normothermic preservation," *PloS one*, vol. 12, no. 11, pp. e0188494, 2017.
- [39] T. Vogel, J. G. Brockmann, A. Quaglia, A. Morovat, W. Jassem, N. D. Heaton, C. C. Coussios, and P. J. Friend, "The 24-hour normothermic machine perfusion of discarded human liver grafts," *Liver Transplantation*, vol. 23, no. 2, pp. 207-220, 2017.
- [40] C. D. Ceresa, D. Nasralla, C. C. Coussios, and P. J. Friend, "The case for normothermic machine perfusion in liver transplantation," *Liver Transplantation*, vol. 24, no. 2, pp. 269-275, 2018.
- [41] S. Dholakia, E. Royston, E. J. Sharples, V. Sankaran, R. J. Ploeg, and P. J. Friend, "Preserving and perfusing the allograft pancreas: Past, present, and future," *Transplantation Reviews*, vol. 32, no. 3, pp. 127-131, 2018.
- [42] D. Nasralla, C. C. Coussios, H. Mergental, M. Z. Akhtar, A. J. Butler, C. D. Ceresa, V. Chiocchia, S. J. Dutton, J. C. García-Valdecasas, and N. Heaton, "A randomized trial of normothermic preservation in liver transplantation," *Nature*, vol. 557, no. 7703, pp. 50, 2018.

- [43] C. D. Ceresa, D. Nasralla, C. J. Watson, A. J. Butler, C. C. Coussios, K. Crick, L. Hodson, C. Imber, W. Jassem, and S. R. Knight, "Transient cold storage prior to normothermic liver perfusion may facilitate adoption of a novel technology," *Liver Transplantation*, 2019.
- [44] W. Jassem, E. Xystrakis, Y. G. Ghnewa, M. Yuksel, O. Pop, M. Martinez-Llordella, Y. Jabri, X. Huang, J. J. Lozano, and A. Quaglia, "Normothermic machine perfusion (NMP) inhibits proinflammatory responses in the liver and promotes regeneration," *Hepatology*, vol. 70, no. 2, pp. 682-695, 2019.
- [45] A. Weissenbacher, L. Lo Faro, O. Boubriak, M. F. Soares, I. S. Roberts, J. P. Hunter, D. Voyce, N. Mikov, A. Cook, and R. J. Ploeg, "Twenty-four-hour normothermic perfusion of discarded human kidneys with urine recirculation," *American Journal of Transplantation*, vol. 19, no. 1, pp. 178-192, 2019.
- [46] S. A. Karangwa, P. Dutkowski, P. Fontes, P. J. Friend, J. V. Guarrrera, J. F. Markmann, H. Mergental, T. Minor, C. Quintini, and M. Selzner, "Machine Perfusion of Donor Livers for Transplantation," 2020.